

Center for Fisheries Research & Development - Gulf Coast Research Laboratory
University of Southern Mississippi
SEAMAP Summer Shrimp/Groundfish Survey, R/V *Tommy Munro* - Cruise 1601

Introduction - The Mississippi Summer Shrimp/Groundfish Survey was conducted from May 30 through June 1, 2016. A total of 13 trawl stations were sampled following the revised trawl protocol of a 30-minute (bottom) tow time and no day/night designations for stations. Four plankton stations were also collected during this survey.

Objectives

- Conduct fall shrimp and groundfish survey in the north-central Gulf of Mexico at randomly-selected stations (provided by NMFS) with standard SEAMAP 40-ft trawls to collect information on shrimp and groundfish abundance and distribution.
- Process all species (identified to the species level) collected by 40-ft trawl using the FSCS software for total number and total weight. Process individual lengths and weights, sampled (or sub-sampled) by species, using FSCS software according to the SEAMAP Operations Manual.
- Collect information on physical-chemical and environmental parameters in conjunction with trawl and plankton sampling and process those using SCS software.
- Submit data to the Gulf States Marine Fisheries Commission/NMFS Data Manager.

Methods - All samples were collected aboard the *R/V Tommy Munro*. A 40 ft. trawl with 1.58 inch stretched mesh was lowered into position at selected trawl stations, and the towline was set at a 3.5:1 cable length to water depth ratio. Trawling was conducted at or near 3 knots for a period of 30 minutes after lockdown. Sample and data processing were conducted in accordance with the SEAMAP Operations Manual. Data were entered using the Fisheries Scientific Computer System. Temperature, dissolved oxygen, and salinity values were measured with a Sea-Bird CTD, and meteorological conditions were recorded. Collection and processing of environmental data followed SEAMAP guidelines. Environmental data were collected at each trawl station location.

Results – An expanded total of 339.8 kg of biota was collected in 13 trawl samples during the cruise. Time, location, and depth data are given in Table 1 for all stations sampled. All data have been provided the Gulf States Marine Fisheries Commission. Copies of the station data forms are included as Appendix I.


Deviations - There were no deviations from standard SEAMAP protocol.

Table 1. Time, location and depth data for 40-ft trawl and plankton stations collected aboard R/V Tommy Munro, SEAMAP Cruise Number 1601, May 30 to June 1, 2016.

Cruise	SEAMAP Station	Start Date/Time	Start Latitude	Start Longitude	Start Depth	Tow Time	Catch Total (kg)
1601	E1108	5/30/2016 8:39	2950.59	8834.46	17.9	30.0	12.5
1601	E1106	5/30/2016 12:15	2944.19	8841.84	18.1	30.4	0.4
1601	E1104	5/30/2016 14:46	2930.95	8849.50	15.7	30.2	0.8
1601	E1101	5/30/2016 17:45	2928.13	8906.29	6.8	30.0	6.1
1601	E1114	5/30/2016 21:40	2919.77	8842.69	58.0	30.0	62.8
1601	E1116	5/31/2016 1:15	2915.19	8843.77	65.2	30.0	75.9
1601	E1117	5/31/2016 3:36	2908.59	8840.34	84.7	30.0	33.4
1601	E1113	5/31/2016 7:11	2924.89	8830.20	55.6	30.0	39.3
1601	B179	5/31/2016 10:35	2929.67	8829.46	50.5	5.4	n/a
1601	B179	5/31/2016 10:54	2929.58	8828.99	50.6	10.1	n/a
1601	E1118	5/31/2016 13:42	2916.61	8811.73	92.3	30.0	8.1
1601	B176	5/31/2016 17:01	2929.48	8800.67	45.0	7.4	n/a
1601	B176	5/31/2016 17:21	2929.09	8801.09	46.0	10.1	n/a
1601	E1112	5/31/2016 19:54	2941.05	8805.97	36.4	30.0	0.2
1601	E1111	5/31/2016 21:46	2946.88	8808.38	34.8	30.0	12.1
1601	E1110	6/1/2016 0:54	2952.62	8805.06	32.9	30.0	70.6
1601	B177	6/1/2016 4:24	3000.06	8759.60	22.6	6.0	n/a
1601	B177	6/1/2016 4:37	3000.13	8759.52	22.4	10.1	n/a
1601	E1109	6/1/2016 8:22	2950.60	8822.15	33.9	30.0	17.6
1601	B178	6/1/2016 13:11	2959.67	8829.56	26.8	4.8	n/a
1601	B178	6/1/2016 13:24	2959.81	8829.40	26.8	10.1	n/a

Cruise Participants - USM/GCRL/CFRD

Submitted By:



Read Hendon, Principal Investigator

APPENDIX I

Station Data Form Scans